

Hurricane Upgrade Kit

2x4 #1 SFF. RAFTERS
@ 16" O.C.

7/16" O.S.B. PLY.
SHEATHING

25 YR FIBERGLASS ASPHALT
SHINGLE ROOF

1 3/4"x7 1/4" LVL

1 3/4"x7 1/4" LVL
(12' MAX. SPAN)

(1) A65 TIE-DOWN
USP CONNECTOR
@ E.A. RAFTER

OAK GIRTS

OAK POST

OAK
KICK BOARD

P.T. 6x6 GRADE
BEAM TYP.

GENERAL NOTES:

1. SPIRAL SOIL ANCHORS BY HOME PRIDE (HP-1 THRU HP-8) BASED ON SOIL TYPE. SPACING PER MANUFACTURER.
2. BUILDING DESIGNED FOR ASCE 120 MPH WIND (3 SEC. GUST) & 85 MPH SUSTAINED

NOTE OF PLAN USAGE:

THIS DRAWING WAS DONE FOR THE SOLE PURPOSE OF ASSISTING IN CONSTRUCTION OF THE BUILDING. IT SHALL NOT BE USED BY ANY PERSONS IN ANY MANNER OTHER THAN THE EMPLOYEES & DEALERS OF WITHOUT THE WRITTEN PERMISSION OF THE ARCHITECT. ALSO THIS DRAWING SHALL NOT BE COPIED WITHOUT THE WRITTEN PERMISSION OF THE ARCHITECT.

**Engel
Architects**

1854 Lincoln Highway East
Lancaster, PA 17602
(717)392-8021, fax 392-7140

Horizon Structures

Ph: 888-44SHEDS / 888-447-4337
www.horizonstructures.com

PROJ. # 06136

DWN. BY: RE

FLOOR PLAN
SERIES 12

A.1